

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1.(original) Coffee maker able to function with cartridges, comprising means for supplying hot water to an infusion head able to receive at least two cartridges (2,2') of different diameters each having at least one flat seating surface, means for placing said means for supplying in communication with the product contained within the cartridges in order to obtain a beverage, as well as means permitting said beverage leaving the cartridge to be directed towards a beverage collecting container, where said infusion head has a support (11) having at least one hollow (29) forming a housing for at least two cartridges (2,2') of different diameters, characterized in that said hollow (29) has the same peripheral annular seat (35) common to several seating flange (6,6') diameters of different cartridges, one or more parts of the external edge of said peripheral seat (35) forming a vertical wall for common indexing of said cartridges (2,2').

2.(original) Coffee maker according to claim 1, characterized in that one cartridge is indexed with respect to one of the vertical side walls (39) of said hollow.

3.(original) Coffee maker according to claim 1, characterized in that one cartridge is indexed with respect to at least two vertical walls of said hollow facing each other.

4.(currently amended) Coffee maker according to ~~one of the preceding claims~~ claim 1 to 3, characterized in that said hollow (29) comprises at least one rib (41) for guiding said cartridges (2,2') in the longitudinal and/or transverse direction.

5.(currently amended) Coffee maker according to ~~one of the preceding claims~~ claim 1, characterized in that said hollow comprises an opening bordered by a centering wall (50) for a cartridge (2') of broad format, the lower periphery of said wall being connected to a horizontal peripheral seat (35) whose internal diameter forms a support for a cartridge (2) of narrow format, the circular internal edge of this peripheral seat (35) being connected with a collecting zone (47) in the form of a downwardly directed funnel.

6.(currently amended) Coffee maker according to ~~one of the preceding claims~~ claim 1, characterized in that said hollow (29) is intended to cooperate with at least two injection needles (19,21) of different heights.

7.(original) Coffee maker according to claim 6, characterized in that said injection needles (19,21) are offset radially with respect to the axis of said hollow (29), the longest needle (19) being the furthest from the center.

8.(currently amended) Coffee maker according to ~~one of the preceding claims~~claim 1, characterized in that said infusion head has two side-by-side hollows (29,31) in a common support (11).

9.(original) Coffee maker according to claim 8, characterized in that said two hollows (29,31) each have one peripheral annular seat (35,37) presenting at least one common vertical indexing wall, the two seats being located at the same level.

10.(original) Coffee maker according to claim 9, characterized in that said two hollows (29,31) each present a vertical indexing wall (39,40), the two walls being located at one side and the other of a partition (36) separating said hollows (29,31

11.(currently amended) Coffee maker according to ~~one of the preceding claims~~claim 1, characterized in that said support (11) is removably mounted in the infusion head.